

Professional Requirements for the Built Environment in Ontario

Protected Scope of Practice and Use of OAA Titles

The [Architects Act](#) (the Act) and [Regulation 27](#) (among other things) govern the practice of architecture and the use of the titles “Architect” and “Licensed Technologist” in the province. These laws prohibit anyone who is not authorized by the Ontario Association of Architects (OAA) from using those titles.

Only membersⁱ of the OAA are permitted to practise architecture in Ontario and to hold themselves out as being entitled to practise architecture in Ontario. Under the Act, the practice of architecture is defined as:

- preparing or providing a design to govern the construction, enlargement, or alteration of a building;
- evaluating, advising on, or reporting on the construction, enlargement, or alteration of a building; or
- providing a general review of the construction, enlargement, or alteration of a building.

Protected scope of practice refers to the areas of work that, by law, can only be performed by licensed OAA members. Projects within this scope must be carried out by OAA members to ensure they are designed and managed by qualified, accountable professionals who meet regulatory standards. For more information about working with an OAA member, when to engage an OAA member, or the scope of their services, please refer to the OAA Website’s [Working with an OAA Member](#).

The Act establishes two protected titles. “Architects,” who are authorized to provide the full scope of architectural services, and “Licensed Technologists,” who may practise architecture within a defined and restricted scope. All OAA members are subject to (among other things) professional standards, a code of conduct, continuing education requirements, and complaints and discipline processes, and the practices through which services are offered to the public are required to carry professional liability insurance. This ensures that the public is served by qualified professionals who are regulated in the public interest.

Regulatory Role of the OAA

The OAA’s regulatory mandate includes taking legal actionⁱⁱ against those unlawfully providing architectural services and those who unlawfully hold themselves out as being permitted to engage in the practice of architecture.

Misuse of the protected titles “Architect” or “Licensed Technologist” and misleading claims or advertising could lead the public to conclude they would be receiving architectural services from a regulated professional. An unlicensed person or corporation providing architectural services to the public within the protected scope of practice creates a risk for the client and the public. As such, the OAA’s mandate includes taking corrective action by investigating and prosecuting potential breaches of the Act. Most instances of unlawful use of a title are remedied following notification by the OAA that the person must cease and desist. However, the OAA may seek injunctionsⁱⁱⁱ from the Superior Court to prohibit contraventions of the legislation and/or prosecute any person who misuses a title.

Application of the OAA Seal

OAA members must use the professional seal issued to them by the OAA in accordance with the rules governing the use of professional seals contained in Regulation 27, under the Act. The OAA has provided guidance regarding use of the professional seal in [Regulatory Notice RN.01](#). The OAA member’s seal and signature on a document represents it was prepared in its entirety under the personal supervision and direction of the OAA member.

Sealing a document that was not appropriately reviewed and supervised by the member may constitute a misuse of the OAA seal and may be professional misconduct under the regulations. This prohibition on “rubber-stamping” protects the public by ensuring that sealed documents reflect work for which the OAA member is accountable.

Reporting Professional Misconduct or Illegal Practice

If in doubt, do not hesitate to contact the OAA to discuss a particular project within the context of the Act. Although the OAA cannot provide legal advice to members, OAA staff will respond promptly to provide information about the practice of architecture in Ontario and OAA resources. While anyone may report a potential breach of the Act, members of the OAA are *required* to report unauthorized practice—failure to do so could result in a finding of professional misconduct.

If you are aware of a possible infraction of the Act or Regulation 27, you can check whether the individual or practice is registered with the OAA by searching the [Directory](#) on the OAA Website. In most cases, if the individual or practice is not listed, they are not affiliated with the OAA; however, temporary licences are issued to out-of-province architects who work on specific projects in collaboration with OAA members, and these temporary licence holders are not listed in the Directory. Please contact the Office of the Registrar at officeoftheregistrar@oaa.on.ca if you have questions.

When Do You Need an OAA Member?

The Act establishes the legal framework for when an OAA member must be engaged. For more information about when a project requires an OAA member, please refer to the OAA's webpages [When Do You Need an Architect](#) and [When Do You Need A Licensed Technologist](#).

The OAA works regularly with its members, as well as with engineers, planners, building officials, designers, and owners, to assist in determining whether a particular project—or project stage, such as formal application to a local government—requires an OAA member.

Not every design falls within the protected scope of work of an OAA member. The Act establishes a number of exceptions by which certain building types and sizes are exempted from the requirement for an OAA member and certificate of practice. It is important to refer to the Act and Regulation 27 to determine when an OAA member is required. The [Joint Bulletin](#) by the OAA and the Professional Engineers of Ontario (PEO) provides a summary of the Design and General Review Requirements for Buildings in the Province of Ontario. The attached appendices provide convenient guides for understanding the Exceptions set out in the Act, as well as the scope of practice for licensed technologists.

Endnotes

i OAA Member Definition

“OAA member” or “member” means: Every holder of a licence or limited licence is a member of the Association, subject to any term, condition or limitation to which the licence is subject.

ii Penalties

46. (1) Every person who contravenes section 11 is guilty of an offence and on conviction is liable for the first offence to a fine of not more than \$25,000 and for each subsequent offence to a fine of not more than \$50,000.

(2) Every person who is not a holder of a licence, Certificate of Practice, or temporary licence and who,

- a) uses the title “architect” or “architecte” as an occupational designation;
- b) uses
 - i. an addition to or an abbreviation of the title “architect” or “architecte;”
 - ii. an occupational designation; or
 - iii. a term, title, addition, or description that will lead to the belief that the person may engage in the practice of architecture; or
- c) uses a seal that will lead to the belief that the person is an architect;

is guilty of an offence and on conviction is liable for the first offence to a fine of not more than \$10,000 and for each subsequent offence to a fine of not more than \$25,000.

(2.1) Every person who is not a holder of a limited licence or certificate of practice and who,

- a) uses the title “Licensed Technologist” or “technologue agréé” as an occupational designation;
- b) uses,
 - i. an addition to or an abbreviation of the title “Licensed Technologist” or “technologue agréé”,
 - ii. an occupational designation, or
 - iii. a term, title, addition or description that will lead to the belief that the person may engage in the practice of architecture; or
- c) uses a seal that will lead to the belief that the person is a licensed technologist,

is guilty of an offence and on conviction is liable for the first offence to a fine of not more than \$10,000 and for each subsequent offence to a fine of not more than \$25,000.

(3) Any person who obstructs a person appointed to make an investigation under section 38 in the course of his or her duties is guilty of an offence and on conviction is liable to a fine of not more than \$10,000.

iii Proceedings to prohibit continuation or repetition of contravention

45. Where any provision of this Act or the regulations is contravened, despite any other remedy or any penalty imposed, the Association may apply to a judge of the Superior Court of Justice for an order prohibiting the continuation or repetition of the contravention or the carrying on of any activity specified in the order that, in the opinion of the court, will or will likely result in the continuation or repetition of the contravention by the person committing the contravention, and the judge may make the order and it may be enforced in the same manner as any other order or judgment of the court.



Exceptions to the Exclusive Scope of Practice for an Architect

Not every building or design falls within the protected scope of work of an architect. The *Architects Act* includes a number of “Exceptions” by which certain building types and sizes are exempted from the general requirement for an Architect to prepare the design. These Exceptions are set out in Section 11(3) of the *Architects Act*.

The table below illustrates projects for which an Architect may be engaged, but may also be undertaken by certain qualified individuals.

Occupancy		Area and Height	Examples
Residential	Only	The preparation or provision of a design for a building that is not more than three storeys and not more than 600 m ² in <i>gross area</i> as constructed, enlarged, or altered. <i>Architects Act</i> s.11(3)a See Diagram 2.	Small motel, boarding house, shelter, hostel, etc.
	Only	The preparation or provision of a design for a building that is not more than three storeys and that contains one <i>dwelling unit</i> or two attached <i>dwelling units</i> , each of which is constructed directly on <i>grade</i> . <i>Architects Act</i> s.11(3)b(i) See Diagram 3.	Single dwelling or semi-detached dwelling
	Only	The preparation or provision of a design for a building that is not more than three storeys and that is not more than 600 m ² in <i>building area</i> as constructed, enlarged, or altered and contains three or more attached <i>dwelling units</i> , each of which is constructed directly on <i>grade</i> , with no <i>dwelling unit</i> constructed above another <i>dwelling unit</i> . <i>Architects Act</i> s.11(3)b(ii) See Diagram 4.	Townhouses
	Only	The preparation or provision of a design for alterations within a <i>dwelling unit</i> that will not affect or are not likely to affect fire separations, firewalls, the strength or safety of the building, or the safety of persons in the building. <i>Architects Act</i> s.11(3)f	Interior renovation of a <i>dwelling unit</i>
One or more of Residential, Business, Personal Services, Mercantile, Agricultural, or Industrial		The preparation or provision of a design for a building that is not more than three storeys and not more than 600 m ² in <i>gross area</i> as constructed, enlarged, or altered. <i>Architects Act</i> s.11(3)a See Diagram 2	Dental office, barber shop, medical office, retail stores, shops, live/work units, etc.
All		The preparation or provision of a design for interior space for a building, including finishes, fixed or loose furnishings, equipment, fixtures, and partitioning of space, and related exterior elements such as signs, finishes, and glazed openings used for display purposes, that does not affect or is not likely to affect: (i) the structural integrity; (ii) a fire safety system or fire separation; (iii) a main entrance or public corridor on a floor; (iv) an exit to a public thoroughfare or to the exterior; (v) the construction or location of an exterior wall; or (vi) the usable floor space through the addition of a mezzanine, infill, or other similar element of the building. <i>Architects Act</i> s.11(3)e	Commercial interior tenant fit-up
Mining		The preparation or provision of a design for the construction, enlargement, or alteration of a building used directly in the extraction, processing, or storage of ore from a mine. <i>Architects Act</i> s.11(3)c	

Notes: Examples above are not an exhaustive list—please contact the OAA if you are unsure if a project requires an Architect.



Definitions

Who may engage in practice of architecture?

No person shall engage in the practice of architecture or hold themselves or itself out as engaging in the practice of architecture unless:

- (a) the person holds a licence or limited licence under the *Architects Act*;
- (b) the person is the holder of a certificate of practice (CoP) or the person is doing so as a member of a partnership that holds a CoP; or
- (c) the person is the holder of a temporary licence under this Act.

Who may provide service to public?

No person shall provide to a member of the public a service that is part of the practice of architecture except under and in accordance with a CoP or a temporary licence.

What does the “practice of architecture” mean?

The practice of architecture refers to:

- (a) the preparation or provision of a design to govern the construction, enlargement, or alteration of a building;
- (b) evaluating, advising on, or reporting on the construction, enlargement, or alteration of a building; or
- (c) a general review of the construction, enlargement, or alteration of a building.

“**Design**” means a plan, sketch, drawing, graphic representation, or specification intended to govern the construction, enlargement, or alteration of a building or a part of a building.

“**Gross area**” means the total area of all floors above grade measured between the outside surfaces of exterior walls or, where no access or building service penetrates a firewall, between the outside surfaces of exterior walls and the centre line of firewalls. In a residential occupancy where access or a building service penetrates a firewall, the measurement may be taken to the centre line of the firewall. See Diagram 1.

“**Building area**” means the greatest horizontal area of a building within the outside surface of exterior walls or, where a firewall is to be constructed, within the outside surface of exterior walls and the centre line of firewalls. See Diagram 1.

“**Dwelling Unit**” means a room or suite of rooms used or intended to be used as a domicile by one or more persons and usually containing cooking, eating, living, sleeping, and sanitary facilities.


“**Grade**” means the lowest of the average levels of finished ground adjoining each exterior wall of a building, but does not include localized depressions such as for vehicle or pedestrian entrances.

“**Firewall**” means a type of fire separation of non-combustible construction that subdivides a building or separates adjoining buildings to resist the spread of fire and that has a fire-resistance rating prescribed in the building code under the *Building Code Act* and has structural stability to remain intact under fire conditions for the fire resistance time for which it is rated.

Please refer to *Architects Act* and Regulation for full list of definitions.



Diagram 1 - Building Area vs. Gross Area



GROSS AREA
 FOR UNIT 1 = A+C
 FOR UNIT 2 = B+D

BUILDING AREA
 FOR UNIT 1 = E
 FOR UNIT 2 = F

Definitions sourced from the *Architects Act* R.S.O. 1990, c. A.26:

“Gross area” means the total area of all floors above grade measured between the outside surfaces of exterior walls or, where no access or building service penetrates a firewall, between the outside surfaces of exterior walls and the centre line of firewalls. In a residential occupancy where access or a building service penetrates a firewall, the measurement may be taken to the centre line of the firewall (“surface hors-tout”).

“Building area” means the greatest horizontal area of a building within the outside surface of exterior walls or, where a firewall is to be constructed, within the outside surface of exterior walls and the centre line of firewalls (“aire de bâtiment”).

“Grade” means the lowest of the average levels of finished ground adjoining each exterior wall of a building, but does not include localized depressions such as for vehicle or pedestrian entrances.



**Ontario Association
of Architects**


111 Moatfield Drive
 Toronto, ON M3B 3L6
 Canada

416-449-6898
officeoftheregistrar@oaa.on.ca
oaa.on.ca

Diagram 2 - *Architects Act*, Exception Section 11(3)a

- Residential, Business, Personal Services, Mercantile, Agricultural, or Industrial Occupancies
- Up to 600 m² *gross area*
- Up to 3 storeys

EXAMPLE



Definitions sourced from the *Architects Act* R.S.O. 1990, c. A.26:

“Gross area” means the total area of all floors above grade measured between the outside surfaces of exterior walls or, where no access or building service penetrates a firewall, between the outside surfaces of exterior walls and the centre line of firewalls. In a residential occupancy where access or a building service penetrates a firewall, the measurement may be taken to the centre line of the firewall (“surface hors-tout”).

“Grade” means the lowest of the average levels of finished ground adjoining each exterior wall of a building, but does not include localized depressions such as for vehicle or pedestrian entrances.



**Ontario Association
of Architects**


111 Moatfield Drive
Toronto, ON M3B 3L6
Canada

416-449-6898
officeoftheregistrar@oaa.on.ca
oaa.on.ca

Diagram 3 - *Architects Act*, Exception Section 11(3)b(i)

- One *dwelling unit*, constructed directly on *grade* or two attached *dwelling units* constructed directly on *grade*
- Up to 3 storeys

EXAMPLE



Definitions sourced from the *Architects Act* R.S.O. 1990, c. A.26:

“Dwelling unit” means a room or suite of rooms used or intended to be used as a domicile by one or more persons and usually containing cooking, eating, living, sleeping, and sanitary facilities.

“Grade” means the lowest of the average levels of finished ground adjoining each exterior wall of a building, but does not include localized depressions such as for vehicle or pedestrian entrances.



Ontario Association
of Architects


111 Moatfield Drive
Toronto, ON M3B 3L6
Canada

416-449-6898
officeoftheregistrar@oaa.on.ca
oaa.on.ca

Diagram 4 - Architects Act, Exception Section 11(3)b(ii)

- Three or more attached *dwelling units* each of which is constructed directly on *grade*, with no *dwelling unit* constructed above another *dwelling unit*
- Up to 600 m² *building area*
- Up to 3 storeys

EXAMPLES



Definitions sourced from the *Architects Act* R.S.O. 1990, c. A.26:

“Building area” means the greatest horizontal area of a building within the outside surface of exterior walls or, where a firewall is to be constructed, within the outside surface of exterior walls and the centre line of firewalls (“aire de bâtiment”).

“Grade” means the lowest of the average levels of finished ground adjoining each exterior wall of a building, but does not include localized depressions such as for vehicle or pedestrian entrances.

“Dwelling unit” means a room or suite of rooms used or intended to be used as a domicile by one or more persons and usually containing cooking, eating, living, sleeping, and sanitary facilities.



Ontario Association
of Architects

111 Moatfield Drive
Toronto, ON M3B 3L6
Canada

416-449-6898
officeoftheregistrar@oaa.on.ca
oaa.on.ca

Licensed Technologist: Scope of Practice

Project Scope	Area and Height	Source
One or More of: Residential, Business, Personal Services, Mercantile, Industrial, or a restaurant designed to accommodate not more than 100 persons consuming food or drink	Every building that does not exceed 600m ² in <i>gross area</i> and is not more than three storeys as constructed, enlarged or altered.	Regulation 27, Section 32.1(1)
Dwelling Units	Every building used or intended for residential occupancy, contains one dwelling unit or two attached dwelling units, and, as constructed, enlarged, or altered, is not more than four storeys.	Regulation 27 Section 32.1(1)
	Every building used or intended for residential occupancy, contains three or more attached dwelling units, and, as constructed, enlarged, or altered, is not more than four storeys and 600 square metres in building area.	Regulation 27 Section 32.1(1)
Interior Space	Every building within parameters set out in the <i>Architects Act</i>	Regulation 27 Section 32.1(3)
Alterations within a Dwelling	Every building within parameters set out in the <i>Architects Act</i>	Regulation 27 Section 32.1(3)
Buildings Used in Extraction & Processing of Ore From a Mine	Every building	Regulation 27, Section 32.1 (3)

Definitions sourced from the *Architects Act* R.S.O. 1990, c. A.26:

“Gross area” means the total area of all floors above grade measured between the outside surfaces of exterior walls or, where no access or building service penetrates a firewall, between the outside surfaces of exterior walls and the centre line of firewalls. In a residential occupancy where access or a building service penetrates a firewall, the measurement may be taken to the centre line of the firewall (“surface hors-tout”).

“Building area” means the greatest horizontal area of a building within the outside surface of exterior walls or, where a firewall is to be constructed, within the outside surface of exterior walls and the centre line of firewalls (“aire de bâtiment”).

“Dwelling unit” means a room or suite of rooms used or intended to be used as a domicile by one or more persons and usually containing cooking, eating, living, sleeping, and sanitary facilities.



**Ontario Association
of Architects**

111 Moatfield Drive
Toronto, ON M3B 3L6
Canada

416-449-6898
officeoftheregistrar@oaa.on.ca
oaa.on.ca